



Index

Page numbers in **boldface** type indicate complete chapters.

- ABCs (airway, breathing, circulation), of
trauma care, 49–53
- Abdomen, stab wounds to, 64
- Abscess
aspiration of, 189
“collar button,” 354
decompression of, 189
definition of, 339
differentiated from cellulitis, 183, 339
fluctuance of, 183, 185, 186, 339
of the hand, 347–354
acute suppurative flexor
tenosynovitis, 347, 350–353
on dorsal surface, 353–354
felon, 347–349, 351
paronychia, 349–350
human bite wound-related, 343
incision and drainage of, 188–189, 339,
353–354
- Adhesives, as suturing alternative, 17–18
- Adhesive tape, as suturing alternative,
18–19
- Aeromonas hydrophila* infections, 187, 343
- Air, subcutaneous. *See* Crepitus
- Airway management, in trauma patients,
49–51
- Airway obstruction, facial fracture-
related, 251
- Airways, thermal injury to, 192
- Albumin, serum levels of
as nutritional status indicator, 74, 176
in pressure sore patients, 167
- Alcohol abuse, maternal, as cleft
lip/palate cause, 238
- Altered level of consciousness, as
indication for supplemental oxygen
therapy, 52
- American Society of Plastic Surgery,
Reconstructive Surgeons Volunteer
Program of, 242
- Amputated parts, care of, 305
- Amputation
necrotizing fasciitis-related, 340
traumatic, of finger, **303–306**
of fingertip, 285
- Anesthesia. *See also* Local anesthesia
in facial laceration care, 146–147
- Anesthesia (*cont.*)
in surgical exploration of upper-
extremity injuries, 367
- Animal bite wounds, 59, 185, 187, 268,
341, 343
- Ankle/brachial index (ABI), 178, 179
- Ankle fractures, free flap coverage of,
133–134
- Anterosuperior iliac spine, as groin flap
anatomic landmark, 130, 131
- Antibacterial solutions
as eye injury cause, 146
for facial laceration care, 146
- Antibiotic ointment
as burn treatment, 82, 197, 198, 199, 321
for grease removal from wounds, 284
ophthalmic, 153
for pressure sore treatment, 165
for primary wound closure, 95
as wet-to-wet dressing alternative,
83–84
- Aquatic bacteria, as infection cause, 187,
341, 343
- Areola, reconstruction of, 248
- Arrhythmia, electrical injury-related, 193
- Arterial injuries
acute, 62
crush injury-related, 331, 332
hand injury-related, 268
- Arterial insufficiency
capillary refill in, 265–266
as leg ulcer cause, 177, 178, 179, 180
- Arthritis. *See also* Osteoarthritis;
Rheumatoid arthritis
frostbite-related, 204
- Arthrodesis, 366
- Arthroplasty, 366
- Ascorbic acid. *See* Vitamin C
- Aspirin
use by traumatic amputation patients,
305
- Axial groin flap, 129–133
- Axial musculocutaneous flaps, 246
- Axillary nerve block, 43
- Bacitracin
as burn treatment, 82, 198, 199

- Bacitracin (*cont.*)
 for grease removal from wounds, 284
 as open wound treatment, 82
- Backslab, 210
- Bacteria, "flesh-eating." *See* Fasciitis, necrotizing
- Bacterial infections
 aquatic bacteria-related, 187, 341, 343
 suture-related, 3
- Basal cell carcinoma, 223–224
 as chronic wound cause, 175
 re-excision of, 231–232
 treatment of, 231
- Basal metabolic requirements (BMR), 74–75
- Betadine
 as wound cleanser, 81
- Bicarbonate, as local anesthesia additive, 31, 39, 146
- Bier block, 42–43
 in carpal tunnel release, 363
 in trigger finger release, 358
- Biopsy
 sentinel lymph node, 233–234
 of skin lesions, 225–231
 excisional, 226, 228–230
 incisional, 226, 227–228
 punch, 227–228
 shave biopsy / excision, 226, 230–231
- Bite wounds, 89
 animal, 59, 185, 187, 268, 341, 343
 human, 59, 187, 268, 341
- Blisters, 323
 burn-related, 324
 pus-filled, 350
- Blood, dried
 human immunodeficiency virus survival time in, 47
 removal from acute wounds, 62
- Blood-borne pathogen exposure, safety precautions for, 45–48
- Blood flow, in foot, 178
- Blood glucose. *See also* Diabetic patients
 effect on wound healing, 58, 176
- Blood pressure cuff, use as tourniquet, 64, 267, 317, 368, 369
- Blood pressure measurement, without blood pressure cuff, 52
- Blood vessels
 crush injuries to, 331
 suturing of, 24–26
 tying off of, 24–25
- Blunt dissection, 26–27
- Body fluids exposure, safety precautions for, 45–48
- Body surface area (BSA), of burns, 193–194, 196, 198, 202
- Bone
 exposure of, in fingertip injuries, 285, 287
 infection of. *See* Osteomyelitis
- Bone growth, frostbite-related impairment of, 204
- Bone rongeur, 285
- Brain injury, facial fracture-associated, 251
- Breast surgery, 245–250
 breast mound reconstruction, 245–248
 with free flaps, 133–134
 with implants, 245–246
 with latissimus dorsi flap, 246
 nipple and areolar reconstruction in, 246, 248
 with pedicle transverse rectus abdominis muscle flap, 246–248
 timing of, 248–249
 breast reduction, 245, 249
 in gynecomastia, 250
- Bronchoscopy, for airway thermal injury evaluation, 192
- Buckshot injuries, 71
- Buddy taping, of phalangeal fractures, 296, 297
- Bullets
 embedded in tissue, 61
 radiographic evaluation of, 68
 removal from wounds, 71
- Bupivacaine, as local anesthetic, 30–31, 32
 in digital nerve blocks, 283
 in facial nerve blocks, 39, 146
 in primary wound closure, 92
- Burns, 59, 191–204
 antibiotic ointments for, 82, 197, 198, 199, 321
 body surface area (BSA) of, 194–195, 196, 198, 202
 depth of, 195–196
 first-degree, 196, 198, 324, 325
 fluid resuscitation in, 196–197, 199
 of the hand, 201, 268, 321–328
 aftercare for, 327–328
 care during healing, 323–324
 determination of depth of, 324–325
 escharotomy of, 325–326
 initial treatment of, 321–324
 surgical treatment of, 325–327
 tangential excision of, 324, 327
 initial treatment of, 193–194, 321–324
 nutritional concerns associated with, 200
 pain control for, 197–198
 physiologic consequences of, 191
 as pressure sore risk factor, 162
 second-degree, 86, 196, 198–199, 201, 324, 325

- Burns (*cont.*)
 subsequent care for, 198–199
 tangential excision of, 199, 200, 324, 327
 third-degree, 196, 199, 202, 324, 325
- Calcaneus, pressure sores of, 163
- Calcium, 77
- Calf
 compartments of, 208, 209
 compartment syndrome of, 207–211
- Caloric requirements
 of burn patients, 200
 estimation of, 74–75
- Cancer. *See* specific types of cancer
 as chronic wound cause, 175
 as impaired wound healing cause, 58
- Capillary refill
 evaluation of, 62
 in hand injuries, 265–266, 269
 in radial artery injury, 318
 in tibial and fibular fractures, 207
- Carbon monoxide, blood content of, 192
- Carpal tunnel
 anatomy of, 360–361
 definition of, 258
- Carpal tunnel release, 332, 335, 362–365
- Carpal tunnel syndrome, 360–365
 definition of, 361
 diagnosis of, 361
 nonoperative treatment of, 362
 operative treatment (release) of, 332, 335, 362–365
- Casts
 for hand injuries, 275
 for metacarpal fractures, 299
 tight, as compartment syndrome cause, 210
- Cat-bite wounds, 59, 187, 268, 341
- Catgut sutures, 4
- Cat-scratch disease, 344
- “Cauliflower ear,” 157
- Cellulitis, 187
 chronic wound-related, 80
 definition of, 79, 183, 339
 differentiated from abscess, 183, 339
 of the finger, 351
 pressure sore-related, 165
 treatment of, 186
- Cervical spine injury, facial fracture-associated, 251
- Cheek
 fractures of, 252
 lacerations of
 full-thickness, 152
 intraoral, 151–152
- Chemical burns, 193, 197
- Chest, stab wounds to, 64
- Chest flaps, 121, 122–124
 for fingertip fracture with nail bed injury coverage, 287
- Children
 absorbable suture use in, 93, 147
 burns in, 194
 frostbite in, 204
 local anesthesia injections in, 30
 oral electrical burns in, 201
 scarring in, 137
 suture removal from, 3
- Circumflex scapular artery, as axial flap
 blood supply source, 112
- Cleansing
 of acute wounds, 60–61
 of burned hands, 321, 322
 of facial lacerations, 146
 of gunshot wounds, 70
 of local flap placement sites, 114
 of nerve injuries, 62
 of skin graft donor sites, 100
 of tendon injuries, 63, 307
- Clean techniques, 81
- Cleft lip/palate, **235–243**
 definition of, 235–237
 embryologic development and etiology of, 237–238
 incidence of, 237
in utero repair of, 239
 initial corrective operations for, 239–241
 nutritional concerns in, 238–239
 Pierre Robin syndrome-associated, 242–243
 presentation of, 237
 visiting surgeon programs for, 241–242
- Clothing
 penetration of, by foreign objects, 59
 removal from patients
 from gunshot wound patients, 67
 from trauma patients, 54
- Cold, anesthetic effect of, 30
- Collagen
 in scar healing, 137
 synthesis of, nutrient requirements for, 76
- Colloid resuscitation, of burn patients, 200
- Compartment syndromes, 192, 207–211, 330, 331, 333–338
 definition of, 207
 etiology of, 333
 prevention of, 210
 signs and symptoms of, 209
 treatment of, 210–211, 334–335
 “vicious cycle” of, 333, 337–338
- Computed tomography, of facial fractures, 253

- Conjunctivitis, antibiotic ointment-related, 153
- Copper, dietary intake of, 77
- Crepitus, 185, 186, 340, 342
- Cricothyroidotomy, surgical, 50–51
- Cross-arm flaps, 125–126
for fingertip injury coverage, 287
- Cross-leg flaps, 126–129
for open tibial-fibular fracture coverage, 218
- Crush injury, 59, 268, 329–333
definition of, 329
as disability cause, 329
effects on tissues, 330–331
- Dakin's solution, 81, 89
- Debridement
of blisters, 323
of chronic wounds, 173, 174, 180
definition of, 79
of facial lacerations, 146
of frostbitten tissue, 203–204
of gangrene, 340
of necrotizing fasciitis, 184, 340
of pressure sores, 161, 165–166, 167
- Decompression. *See also* Fasciotomy
of abscess, 189
of paronychia, 349
- Defatting, of skin grafts, 107–108
in fingertip injuries, 285
- Degloving injury, 330, 333
- Delay procedure, for local flap formation, 113–114
- Dermatome, 101, 102, 200
- Dermis, anatomy of, 97–98
- Diabetic patients
hand infections in, 341
impaired wound healing in, 58, 176
soft-tissue infections in, 185
steroid injections in, 142
- Diazepam, 42
use in burn patients, 197
- Digital arteries, injuries to, 318
- Digital nerve blocks, 34–35, 41
as contraindication to epinephrine administration, 32
in finger fracture reduction, 294
in fingertip injury repair, 283–284
in joint dislocation reduction, 300
in nail removal, 290
- Digital nerves
accidental suturing of, 318
anatomy of, 314
injuries to, 315
location of, 34
repair of, 315–317
- DIP. *See* Distal interphalangeal joints
- Direct infiltration, of local anesthetics, 33
- Disinfection, of contaminated surfaces, 47
- Dislocations
acute wound-related, 63, 64
crush injury-related, 332
of finger joints, 271, 280
complex, 300, 301
interphalangeal, 300–301
metacarpal, 300
simple, 300–301
- Dissection
blunt, 26–27
sharp, 27
- Distal interphalangeal joints (DIP)
definition of, 258
osteoarthritis of, 365, 366
- Distal phalanges, fractures of, 286, 289, 294–296
intraarticular, 295–296
mallet deformity of, 310
open, 286
shaft, 295
tuft, 294–295
- Dog-bite wounds, 187, 268
- Donor sites
for flaps, 111
chest flaps, 121, 123
distant flaps, 121, 123, 126, 127, 132
for skin grafts
full-thickness grafts, 107, 109
split-thickness grafts, 100, 106
- Drainage. *See also* Incision and drainage
of abscess, 188–189
of acute suppurative flexor tenosynovitis, 351–352
of hand infections, 344, 345
of paronychia, 349
of pus from wounds, 89
of subungual hematoma, 287, 289
- Dressings. *See also* Gauze dressings
for amputation stumps, 305
for burns, 197
for ear lacerations, 157
for fasciotomy sites, 337
for fingertip injuries, 285, 286
for gunshot wounds, 70, 80–83
for hand injuries, 281
for pressure sores, 165
for secondary wound closure sites, 89, 91
for skin grafts, 105, 108–109
solutions for, 81
wet-to-dry, 82–83
for chronic wounds, 173, 174, 180
for delayed primary wound closure, 96
for secondary wound closure sites, 89
for traumatic amputations, 304

- Dressings (*cont.*)
 wet-to-wet, 83
 antibiotic ointment as alternative to, 83–84
 for pressure sores, 165
 DuoDERM, as pressure sore dressing, 165
- Ear, full-thickness external lacerations of, 156–157
- Ear piercing, as keloid cause, 142–143
- Ectropion, 158
- Eikenella* infections, of bite wounds, 187, 343
- Electrical burns, 192–193
 oral, in children, 201
- Electric stimulation, as nerve injury repair technique, 315
- Electrocautery devices, 23, 24
 use in skin lesion biopsy, 230, 231–232
- Electrodiagnostic studies, of carpal tunnel syndrome, 361
- Elevation
 of burned hand, 322, 326
 of forearm, in compartment syndrome, 337
 of hand, in compartment syndrome, 337
 of infected hand, 344, 345
 of injured hand, 281
- Endotracheal intubation
 for airway patency, 50
 in inhalation injury patients, 192
- Epidermis, anatomy of, 97
- Epinephrine, as local anesthesia additive, 31–32
- Epineurium, 313–314
 suture placement in, 315, 316–317
- Escharotomy, of burns to the hand, 325–326
- Esmarch, 368, 369, 370
- Ethyl chloride, anesthetic action of, 30
- Exposure, of trauma patients, 54
- Extensor pollicis longus tendon, motor examination of, 262
- Extensor tendons, of the hand
 motor examination of, 262
 splinting of, 278, 279
- Extraarticular fractures, of middle or proximal phalanges, 296–297
- Extrinsic muscles, of hand, evaluation of, 261–262, 263
- Exudate
 definition of, 79
- Eyebrows, lacerations of, 154–155
- Eyelids
 lacerations of, 153–154
 lower, involvement in facial wound closure, 88
- Facial injuries
 fractures, 251–256
 basic initial treatment of, 253
 diagnosis of, 252–253
 initial evaluation of, 251
 mandibular fractures, 253–256
 gunshot wounds, 70–71
 lacerations, 145–159
 anesthesia for, 146–147
 initial care for, 146
 jaw fracture-related, 253
 soft-tissue loss associated with, 158–159
 specific types of, 149–159
 suturing of, 147–149
 unique properties of, 145
 near lower eyelid, 88
 nerve blocks for, 38–41, 147
 suture removal from, 95
 wound closure of, 58
 local anesthesia for, 92
 suture sizes for, 2
 suturing techniques for, 93
- Fasciitis, necrotizing, 184, 186, 340, 342, 344
- Fasciotomy
 of calf, 210–211
 of fingers, 336
 of forearm, 334–335
 of hand, 335–336
- Felon, 347–349, 351
- Femur, closed fractures of, as blood loss cause, 52
- Fingers. *See also* Distal phalanges; Middle phalanges; Proximal phalanges
 amputated, replantation of, 304–305
 digital nerves of, 34
 digital tourniquet use in, 368
 escharotomy of, 325
 exploratory incisions in, 371–372
 fasciotomy of, 336
 fractures of, 63, 271, 293–299
 anesthesia for, 294
 definitions related to, 293–294
 distal phalangeal, 294–296
 metacarpal, 298–299
 middle and proximal phalangeal, 296–298
 shaft, 295
 joint dislocations of, 300–301
 lacerations of, mallet deformity associated with, 312
 little, splinting of, 279–280
 nerve blocks of, 34–35, 41
 as contraindication to epinephrine administration, 32
 rotational deformities of, 266, 268, 271, 296, 297

Fingers (*cont.*)

- splinting of, 268, 279–280
- trigger, 355–360

Fingertips

- felon of, 347–349, 351
- injuries to, 283–289
 - aftercare for, 285–286
 - complicated injuries, 286–289
 - digital tourniquet for, 284
 - initial care for, 283–284
 - treatment of, 285

- traumatic amputation of, 285

Flaps

- classification of, 111
- definition of, 111
- distant, **121–135**
 - for acute wound coverage, 65
 - attached, 121–133
 - axial, 129–133
 - chest flap, 122–124
 - cross-arm, 121, 125–126, 287
 - cross-leg, 126–129, 218
 - for fingertip injury coverage, 287
 - free, 121, 122, 133–134
 - groin, 129–133
 - random, 121–129
 - for tibia and fibula fracture coverage, 218

local, 27, **111–120**

- for acute wound coverage, 65
- axial, 112–113, 120
- classification of, 112–113
- delay procedure for, 113–114
- for melanoma excision site coverage, 232
- muscle flaps, 111, 120, 212–218
- for pressure sore coverage, 166–172
- random, 113, 114–119
- rhomboid, 115–116
- rotation, 117–118
- V-Y advancement, 114, 118–119, 170–171
- rotation buttock, for pressure sore coverage, 168–169
- 3:1 rule for, 114, 122
- tensor fascia lata, for pressure sore coverage, 169–170

- Flexor carpi radialis tendon, anatomic relationship with median nerve, 36

- Flexor carpi ulnaris tendon, anatomic relationship with ulnar nerve, 37

- Flexor digitorum profundus tendon, motor examination of, 262

- Flexor digitorum superficialis tendon, motor examination of, 261

- Flexor pollicis longus tendon, motor examination of, 262

- Flexor sheath, acute suppurative tenosynovitis of, 350–352

Flexor tendons

- anatomic relationship with carpal tunnel, 360
- course of, 355
- injuries to, 270, 271–273
 - splinting of, 277–278
 - motor examination of, 262

- Fluctuance, of abscess, 183, 185, 186, 339

- Fluid resuscitation, of burn patients, 195–196

Foot

- burns of, 201–202
- pseudomonas infections of, 59

- Forceps, use in suturing, 5, 6–7

Forearm

- crush injury to, 331–333
- escharotomy of, 325
- fasciotomy of, 334–335
- infections of, 342
- lacerations of, 374
- surgical exploration of, **367–374**
 - anesthesia in, 367
 - incisions in, 367, 370–374
 - tourniquet use in, 367–370

- Forehead, lacerations of, 155

Foreign material

- as chronic wound cause, 174, 180
- embedded in acute wounds, 59, 60, 61–62, 64
- embedded in crush injury wounds, 330
- embedded in gunshot wounds, 70, 71
- embedded in hand wounds, 268, 271
- as hand infection cause, 341, 342, 343
- as infection cause, 61
- as primary wound closure
 - contraindication, 91
- removal from traumatically-amputated parts, 305
- as soft-tissue infection cause, 185, 186

Fractures

- closed
 - definition of, 293–294
 - of tibia and fibula, 206
- comminuted
 - crush injury-related, 331
 - of tibia and fibula, 207
- compartment syndrome-associated, 337
- crush injury-related, 331, 332
- facial, **251–256**
 - basic initial treatment of, 253
 - diagnosis of, 252–253
 - initial evaluation of, 251
 - mandibular fractures, 254–255

- Fractures (*cont.*)
- of fingers, 63, 266, 280, 271, 293–299
 - anesthesia for, 294
 - definitions related to, 293–294
 - distal phalangeal, 286, 289, 294–296
 - mallet deformity-associated, 310, 312
 - metacarpal, 266, 298–299
 - middle and proximal phalangeal fractures, 296–298
 - shaft fractures, 295
 - frontal sinus, 155
 - gunshot wound-related, 68
 - hand infection-related, 342
 - open (compound), 63, 64
 - definition of, 293
 - of distal phalanx, 286
 - of the fingertips, 287, 289
 - hand injury-associated, 271
 - muscle flap coverage for, 120
 - of tibia and fibula, 206, 210, 211–218
 - with overlying wounds, 88
 - of tibia and fibula, **205–219**
 - case example of, 205–206
 - closed fractures, 206
 - comminuted, 207
 - compartment syndrome associated with, 207–211
 - distant flap coverage for, 218
 - free flap coverage for, 218
 - local muscle flap coverage for, 212–218
 - open (compound) fractures, 206, 210, 211–218
- Free flaps, 133–134
- for tibia and fibula fracture coverage, 218
- Freshwater-associated bacterial infections, 187, 341
- Frostbite, 202–204
- Gangrene
- dry, 183–184, 340
 - wet, 184, 186, 340
- Gastrocnemius flaps, 213–216
- Gastrocnemius muscle, anatomy of, 213–214
- Gauze dressings, 80, 81
- saline-moistened, for burns, 197
 - for skin grafts, 105
 - as wet-to-dry dressings, 82–83
 - as wet-to-wet dressings, 83
- Glasgow Coma Scale, 53–54
- Gloves
- nonsterile, 81
 - protective, 46
 - sterile, 80–81
- Goggles, protective, 47
- Granulation tissue, definition of, 79
- Grease
- removal from burned tissues, 197, 321
 - removal from fingertip wounds, 284
- Groin flap, 129–133
- Gunshot wounds, 59, **67–71**
- bullet removal from, 71
 - entrance and exit sites of, 69, 70
 - external wound care for, 69–70
 - initial treatment of, in stable patients, 67–69
- Gynecomastia, 250
- Hand. *See also* Fingers
- abscesses of, **347–354**
 - acute suppurative flexor tenosynovitis, 347, 350–353
 - on dorsal surface, 353–354
 - felon, 347–349, 351
 - paronychia, 349–350
 - amputated, replantation of, 304–305
 - anatomic positions of, 257–258
 - blood supply to, 264–265, 318
 - chronic conditions of, **355–366**
 - carpal tunnel syndrome, 360–365
 - osteoarthritis, 365–366
 - trigger finger, 355–360
 - finger alignment of, 266
 - infections of, **339–345**
 - bite wound-related, 59
 - evaluation of, 341–342
 - general initial treatment of, 344–345
 - normal, examination of, **257–266**
 - extrinsic muscle / intrinsic muscle nerve supply evaluation in, 263–264
 - motor examination, 261–262
 - sensory examination, 259–260
 - vascular evaluation in, 264–266
- Hand injuries
- bite wounds, 59, 187, 268, 341, 343
 - burns, 201, 268, **321–328**
 - aftercare for, 327–328
 - care during healing, 323–324
 - determination of depth of, 324–325
 - escharotomy of, 325–326
 - initial treatment of, 321–324
 - surgical treatment of, 325–327
 - tangential excision of, 324, 327
 - crush injuries, 59, 268, 331–333
 - dressings for, 281
 - evaluation of, **267–273**
 - motor examination in, 270
 - patient history in, 267–269
 - physical examination in, 269–271
 - sensory examination in, 270

- Hand injuries (*cont.*)
 evaluation of (*cont.*)
 tendon examination in, 270
 in unconscious patient, 271–273
 vascular examination in, 269–270
 general aftercare for, 281–282
 nerve blocks for, 34–38
 digital blocks, 34–35, 41
 wrist blocks, 35–38, 41
 splinting of, 275–280
 versus casting, 275
 duration of, 282
 materials for, 275–276
 splint construction for, 276
 splint position and contour in,
 276–280
 surgical exploration of, 367–374
 anesthesia in, 367
 incisions in, 367, 370–374
 tourniquet use in, 367–370
 suture removal from, 95
 to the tendons, 307–312
 extensor tendon injuries, 308–312
 flexor tendon injuries, 307–308
 mallet finger, 310–312
- Handwashing, for infectious disease
 prevention, 46
- Harelip. *See* Cleft lip / palate
- Harris-Benedict equation, 74–75
- Head injury
 Glasgow Coma Scale evaluation of,
 53–54
 as pressure sore risk factor, 162
 supplemental oxygen therapy in, 52
- Hematoma, 87
 ear laceration-related, 157
 subungual, 287, 289
- Hematoma block, in metacarpal fracture
 reduction, 298
- Hemorrhage
 acute wound-related, 57, 58, 63–64
 exsanguinating / pulsatile, 64, 317
 hand injury-related, 267, 268, 269
 as pseudoaneurysm cause, 317–318
 gunshot wound-related, 68
 lip laceration-related, 151
 management of, 24–26
 scalp wound-related, 156
 from skin edges, 23–24
 after tourniquet release, 370
 in trauma patients, 52
- Hepatitis, transmission by needlestick
 injury, 5
- Hepatitis B virus
 contagiousness of, 45
 postexposure treatment for, 48
 prevalence of, 46
- Hepatitis B virus vaccination, 47, 48
- Hepatitis C virus
 contagiousness of, 45
 postexposure treatment for, 48
 prevalence of, 46
- Hepatitis D (delta) virus, 46
- Herpetic infections, of the fingers, 350
- Human bite wounds, 59, 187, 268, 341
- Human immunodeficiency virus infection
 (HIV)
 as impaired wound healing cause, 58
 postexposure treatment for, 48
 prevalence of, 45
 transmission by needlestick injury, 5
- Humby knife, 101, 102–103
- Hyperbaric oxygen therapy, for
 necrotizing fasciitis, 184, 340
- Hypotension, trauma-related, 52–53
- Hypothenar eminence, 258
- Hypothenar muscles, fasciotomy of, 335
- Incision and drainage, 342
 of abscess, 188–189, 339, 353–354
 contraindication in herpetic infections,
 350
 of felon, 347–348
- Incisions, 21–23
 Brunner zigzag, 372, 373
 for compartment syndrome treatment.
See Fasciotomy
 for escharotomy, 325–326
 for surgical exploration of upper-
 extremity injuries, 367, 370–374
 in fingers, 371–372
 in forearm, 374
 in hand, 371–372
 for trigger finger release, 358–359
- Incontinence, as pressure sore cause,
 163
- Infants
 congenital trigger finger in, 356
 protein requirements of, 76
- Infections
 as chronic wound cause, 174–175
 foreign body-related, 61, 185, 186, 341,
 342, 343
 of the hand, 339–345
 evaluation of, 341–342
 general initial treatment of, 344–345
 after secondary wound closure, 89
 signs of, 89
- Infectious disease exposure, safety
 precautions for, 45–48
- Infraorbital nerve, facial fracture-
 associated injury to, 252
- Inhalation injury, 192, 202
- Injection, of local anesthetics, 30–33

- Instruments
 sharp
 disposal of, 47
 safety precautions for use of, 46, 47
 sterile, 80–81
 for suturing, 5–7
- Interferon therapy, for hepatitis C patients, 48
- Intermaxillary fixation, Ivy loops
 procedure for, 254–256
- Interosseous muscles, fasciotomy of, 335
- Interphalangeal joints (IP)
 burn-related stiffness of, 323
 definition of, 258
 extension of, 264, 270
- Interplast, 242
- Intravenous access, in trauma patients, 52
- Intrinsic muscles
 dysfunction of, 261
 evaluation of, 263
- Intubation. *See also* Endotracheal intubation
 for airway patency, 50
- IP. *See* Interphalangeal joints
- Iron, dietary intake of, 77
- Iron supplementation, for wound healing, 176
- Irrigation
 of acute wounds, 60–61
 of chemical injuries, 193
 of flexor sheath, 352
- Ischial pressure sores, 161, 163, 170–171
- Ivy loops procedure, for intermaxillary fixation, 254–256
- Jaw
 fractures of, 253, 254–256
- Joints
 crush injuries to, 331
 dislocations of. *See* Dislocations
 frostbite-related stiffness of, 204
 hand infection-associated
 contamination of, 342
- Keloids, 138, 139, 142
 ear piercing-related, 142–143
 secondary wound closure-related, 86
- Keratosis, seborrheic, 223
- Knife, skin-graft (Humby), 101, 102–103
- Knife blades, for incisions, 21–23
- Knife wounds, 58, 64, 268
- Kwashiorkor, 73
 marasmic, 74
- Labial artery
 hemorrhage from, lip burn-related, 201
 injuries to, 151
- Lacerations
 of the cheek
 as ectropion cause, 158
 full-thickness, 152
 intraoral, 151–152
 crush injury-related, 332–333
 of the face, **145–159**
 anesthesia for, 146–147
 initial care for, 146
 jaw fracture-related, 253
 soft-tissue loss associated with,
 158–159
 specific types of, 149–159
 suturing of, 147–149
 unique properties of, 145
 of the forearm, 374
- Latissimus dorsi flaps, 246
- Leg, ulcers of, 177–180
- Lidocaine
 as local anesthetic, 30–31, 32
 in axillary blocks, 43
 in Bier blocks, 42–43
 in digital nerve blocks, 283
 in facial lacerations, 146
 in facial nerve blocks, 39
 in primary wound closure, 92
 in scalp lacerations, 156
 in wound cleansing, 60
- Lignocaine. *See* Lidocaine
- Lip
 burn injuries of, 201
 lacerations of, 149–151
- Local anesthesia, **29–44**
 action mechanism of, 29
 additives to, 31–32
 direct infiltration of, 33
 dosage of, 30–31, 32, 33
 duration of action of, 32
 for facial lacerations, 146–147
 in gunshot wound treatment, 71
 injection of, 30–33
 safety precautions for, 33
 as nerve blocks, 30, 34–42
 axillary blocks, 43
 Bier blocks, 39–43
 in facial injury repair, 39–41, 147
 in hand injury repair, 34–39, 41
 with sedation, 41–42
 in wound cleansing, 60, 92
 overdose of, 33
 topical agents, 29–30
- Lymphadenectomy, in melanoma patients, 232
- Lymphangitis, 183, 339, 344
- Lymph nodes, enlarged
 hand injury-related, 342, 344
 skin cancer-related, 225

- Mafenide acetate, as burn treatment, 198
- Magnesium, dietary intake of, 77
- Mallet finger, 310–312
 - closed, 310–312
 - distal phalangeal fracture-related, 295
 - open, 312
- Malnutrition, 73–74
 - as chronic wound cause, 176
 - as impaired wound healing cause, 58, 73
- Mammaplasty, reduction, 245, 249
- Mandible, fractures of, 253, 254–256
- Marasmus, 73, 74
- Marcaine. *See* Bupivacaine
- Massage, of scar tissue, 140, 142
- Mastectomy
 - breast reconstruction after. *See* Breast reconstruction
 - as gynecomastia treatment, 250
- MCP. *See* Metacarpophalangeal joints
- Median nerve
 - anatomic relationship with carpal tunnel, 360, 361
 - anatomy of, 36
 - compression of. *See* Carpal tunnel syndrome
 - function testing of, 263, 270
 - sensory distribution of, 259, 260
- Median nerve block, 35–37
- Melanoma
 - appearance of, 222–223
 - etiology of, 222
 - genetic factors in, 224
 - physical examination of, 225
 - re-excision of, 232–233
 - sentinel lymph node biopsy of, 233–234
- Mental nerve blocks, 41, 147
- Mesh, 103, 104
- Metacarpal fractures, 266, 298–299
- Metacarpophalangeal joints (MCP)
 - burn-related stiffness of, 323
 - definition of, 258
 - human bite wounds to, 341
 - osteoarthritis of, 365
- Midazolam, 42
 - use in burn patients, 197
- Middle phalanges, fractures of, 296–298
 - extraarticular, 296–297
 - intraarticular, 298
- Mole, cancerous, 221–222, 223
- Motion, of injured hand and fingers, 282
- Motor examination
 - of injured hand, 270
 - of normal hand, 261–262
- Motor nerves, of hand, injuries to, 317, 331
- Mouth, lacerations of, 151–152
- Mucosa, oral, lacerations of, 150–152
- Mycobacterium marinum* infections, of the hand, 343, 344
- Myoglobinuria, 192–193, 207–208, 333
- Nail bed injuries, 287, 289–291
- Nails
 - growth rate of, 289
 - paronychia of, 349–350
 - removal of, 290
- Nasal airway tubes, 50
- Needles
 - for injections, proper use and disposal of, 47
 - for suturing, 1–2, 6
 - holder for, 5, 6
 - proper use and disposal of, 47
- Needlestick injuries, 5, 47–48
- Nerve blocks, 34–41
 - in attached distant flap placement, 124
 - in facial injury repair, 38–41, 147
 - infraorbital, 38, 40–41
 - mental nerve, 41
 - supraorbital, 38, 39–40, 41
 - supratrochlear, 38, 40, 41
 - in hand injury repair, 34–38
 - digital block, 34–35, 41
 - wrist block, 35–38, 41
 - in primary wound closure, 92
 - in surgical exploration of upper-extremity injuries, 367
 - in wound cleansing, 60
- Nerve grafts, 316–317
- Nerve injuries, 62, 313–317
 - crush injuries, 330
 - repair of, 315–317
- Nerves, anatomy of, 313–314
- Neurovascular bundles, digital, 355
- Neurovascular examination, of gunshot wound patients, 68, 69
- Nipple, reconstruction of, 248
- Nonsteroidal anti-inflammatory drugs (NSAIDs)
 - as carpal tunnel syndrome treatment, 362
 - deleterious effect on wound healing, 177
- Nose, lacerations of, 153
- Numbness, in the hand
 - carpal tunnel syndrome-related, 361
 - compartment syndrome-related, 334
- Nutrition, 73–78
- Nutritional status
 - assessment of, 74–75, 176
 - of pressure sore patients, 167
 - required for wound healing, 76–78, 176, 180

- Nutritional support, for burn patients, 200
- Nylon sutures, 4
- Occupational therapy
 for carpal tunnel syndrome patients, 362, 365
 for hand burn patients, 323
 for osteoarthritis patients, 365
- Operation Smile, 242
- Oral airway tubes, 50
- Orbit, fractures of, 252
- Osteoarthritis, 365–366
- Osteomyelitis, 186
 chronic, 174–175
 felon-related, 347
 open fracture-related, 206, 211–212
- Overdose, of local anesthetics, 33
- Pain control
 in burn patients, 196–197, 321
 during dressing changes, 82
 in fingertip and nail bed injury patients, 291
 in hand burn patients, 324
 in osteoarthritis patients, 365
 during rewarming of frostbitten tissue, 203
 in traumatic amputation patients, 304, 305
- Palate, anatomy of, 235, 236
- Palmar arch, 264, 269–270
- Palmaris longus tendon, anatomic relationship with median nerve, 36
- Paraplegic patients, pressure sores in, 162
- Parkland formula, for fluid resuscitation of burn patients, 195–196
- Paronychia, 349–350
- Parotid duct, in mouth laceration repair, 151
- Pasteurella* infections, of bite wounds, 187, 343
- Pedicle
 definition of, 111
 of distant flaps, 121
 of local flaps, 113, 114, 115, 116, 117, 118
- Perineurium, 313–314
- Phalanges. *See also* Distal phalanges; Fingers; Middle phalanges; Proximal phalanges
 definition of, 258
 fractures or dislocations of, 280
- Phalen's sign, 361
- Pierre Robin syndrome, 242–243
- PIP. *See* Proximal interphalangeal joints
- Pneumothorax, tension, 52–53, 54
 needle thoracostomy for, 54–56
- Poison control centers, 193
- Polydioxanone sutures, 4
- Popliteal artery pulse, in gunshot wound patients, 68
- Posterior tibial artery pulse
 in arterial insufficiency patients, 178
 in gunshot wound patients, 68
 in tibial and fibular fracture patients, 207
- Povidone iodine, 146
- Prealbumin, serum levels of
 as nutritional status indicator, 74, 176
 in pressure sore patients, 167
- Pressure, as hemorrhage control technique, 24, 317
- Pressure earrings, 142–143
- Pressure garments, 141, 142, 327–328
- Pressure sores, 161–172
 causes of, 162
 debridement of, 161, 165–166, 167
 as decubitus ulcers, 161
 definition of, 161, 180
 early treatment of, 164–166
 ischial, 170–171
 local flap coverage for, 166–172
 prevention of, 163
 risk factors for, 162–163
 sacral, 168–169
 rotation flap coverage for, 117–118
 staging system for, 164, 165–168
 surgical treatment of, 166–171
 trochanteric, 169–170
- Prolene sutures, 4
- Protein
 dietary requirements for, 76
 dietary sources of, 75
 serum content of
 in malnutrition, 73
 as nutritional status indicator, 74
- Protein stores, inadequate, as contraindication to surgery, 176
- Proximal interphalangeal joints (PIP)
 definition of, 258
 osteoarthritis of, 365, 366
- Proximal phalanges, fractures of, 296–298
 extraarticular, 296–297
 intraarticular, 298
- Pseudoaneurysm, 186, 317–318
- Pseudomonas infections, 59, 89
- Pulley system, flexor tendon
 in flexor tenosynovitis, 350–351
 in trigger finger, 355, 356, 357–358
- Pulse. *See also* Popliteal artery pulse; Posterior tibial artery pulse; Radial artery pulse; Ulnar artery pulse
 in arterial injuries, 62

- Pulse (*cont.*)
 as blood pressure measure, 52
 in gunshot wound patients, 68–69
- Punch biopsy procedure, 227–228
- Puncture wounds. *See also* Bite wounds
 cleansing of, 60
 as hand infection cause, 341, 342
 as soft-tissue infection cause, 185
- Quadriplegic patients, pressure sores in,
 162, 163
- Rabies, 59–60, 268, 341
- Radial artery
 as axial flap blood supply source, 112
 injury to, 318
 palpable radial pulse associated with,
 270
 location of, 264, 265
- Radial artery pulse, 52, 264
 in injured hand, 269–270
 location of, 38
- Radial forearm flap, 134
- Radial nerve
 function testing of, 270
 sensory distribution of, 259, 260
- Radial nerve block, 38
- Radiation therapy
 as chronic wound cause, 177
 for keloid prevention, 143
- Radiography. *See also* X-rays
 Panorex, for mandibular fracture
 evaluation, 252
- Random flaps
 distant, 121–129
 local, 113, 114–119
- Recommended dietary allowances (RDA)
 for minerals, 77–78
 for protein, 76
 for vitamins, 77
- Redness, of skin
 infection-related, 89
 scar-related, 141–142
 around suture line, 95–96
- Red streaking, of skin
 hand infection-related, 342
 lymphangitis-related, 339, 344
- Regional anesthesia, intravenous (Bier
 block), 42–43, 358, 363
- Regional block, upper-extremity axillary
 block, 43
- Rehabilitation, of traumatic amputation
 patients, 305
- Replantation, of traumatically-amputated
 parts, 304–305
- Respiratory depression, sedative
 medication-related, 42
- Rewarming, of frostbitten tissue, 203
- Rheumatoid arthritis, tenosynovitis
 associated with, 353
- Rhinoplasty, in cleft lip/palate patients,
 241
- Ringer's lactate solution, 196
- Rings, removal from injured hands, 269
- Rotational deformity, of fingers, 266, 268,
 271, 296, 297
- Rotation flaps, 168–169
- Rule of nines, for determination of burned
 body surface area, 193–194
- Sacrum, pressure sores of, 163, 168–169
 rotation flap coverage for, 117–118
- Saline, as wound cleanser, 81
- Scalp injuries
 blood loss from, 52
 full-thickness lacerations, 155–156
 local anesthesia use in, 92
- SCALP mnemonic, for layers of the scalp,
 155–156
- Scars, **137–144**
 abnormal, 138
 adhesive materials-related, 17–18
 appearance of, 137
 burn-related, 324
 clinician's care for, 140–143
 contracture of, secondary wound
 closure-related, 86
 excessive redness of, 141–142
 facial wounds-related, 93, 145
 hypertrophic, 138, 139, 142
 maturation of, 137
 patient's care for, 140
 secondary wound closure-related, 86,
 88, 89
 strength of, 137
 suture-related, 2, 3
 tight, secondary wound closure-related,
 86, 88, 89
 unstable, 138
 secondary wound closure-related, 86
- Scissors, suture, 5, 6
- Seawater-associated bacterial infections,
 187
- Sedation, as adjunct to local anesthesia, 42
 of burn patients, 197
- Sensory examination, of injured hand,
 270
- Sentinel lymph node biopsy, 233–234
- Sharp instruments
 disposal of, 47
 safety precautions for use of, 46, 47
- Shave excision, of skin lesions, 230–231
- Shellfish-related bacterial infections, 187
- Shock, 53

- Shotgun injuries, 71
- Silicone breast implants, 245
- Silicone gel sheets, application to scars, 140–141, 142
- Silk sutures, 4
- Silver nitrate, as burn treatment, 198
- Silver sulfadiazene, as burn treatment, 82, 198, 199, 321
- Sinuses, frontal, fractures of, 155
- Skin
- anatomy of, 97–98
 - defatting of, for skin flaps, 107–108
 - in fingertip injuries, 285
 - functions of, 191
 - ischemia-related death of, 87
- Skin cancer, **221–234**
- basal cell carcinoma, 223–224
 - as chronic wound cause, 175
 - treatment of, 231
 - biopsy of, 225–231
 - excisional, 226, 228–230
 - incisional, 226, 227–228
 - pathology report of, 231–232
 - punch procedure, 227–228
 - shave biopsy/excision, 226, 230–231
 - evaluation of, 224–225
 - melanoma
 - appearance of, 222–223
 - etiology of, 222
 - genetic factors in, 224
 - physical examination of, 225
 - re-excision of, 232–233
 - sentinel lymph node biopsy of, 233–234
 - postexcision care for, 234
 - squamous cell carcinoma, 221, 223, 224
 - as chronic wound cause, 175
 - tongue reconstruction in, 134
 - treatment of, 231–232
 - unstable scar-associated, 86
- Skin creases
- definition of, 258
 - wound closure over, 88, 89
- Skin edges
- excision of, in gunshot wounds, 70
 - hemorrhage from, 23–24, 31
 - undermining of, 27
- Skin grafts, **97–109**
- for acute wounds, 65
 - anatomic basis for, 97–99
 - contraindications to, 99–100
 - for eyelid laceration coverage, 154
 - for facial wound coverage, 158
 - full-thickness, 106–109
 - amputated skin as, 303, 304
 - defatting of, 107–108
 - for fingertip injury coverage, 285
- Skin grafts (*cont.*)
- split-thickness, 100–106
 - aftercare for, 106
 - for burn coverage, 199, 201
 - for chronic wound coverage, 181
 - for compartment syndrome-related wound closure, 210–211
 - graft harvesting technique in, 101–103
 - for hand burn coverage, 324, 326, 327
 - for melanoma excision site coverage, 232
 - for open fracture coverage, 212
 - placement of, 104–105
 - preparation of, 103–104
 - for venous ulcer coverage, 179
 - wound dressing for, 105–106
 - for unstable scar coverage, 143
- Skin redness
- infection-related, 89
 - scar-related, 141–142
 - as streaking
 - hand infection-related, 342
 - lymphangitis-related, 339, 344
 - around suture line, 95–96
- Skin staples, 16–17, 18
- Skull, occiput, pressure sores of, 163
- Smoking
- as impaired wound healing cause, 58, 175, 282
 - in crush injury patients, 332
 - in skin graft recipients, 106, 109
 - in traumatic amputation patients, 304
- Soft tissue, facial laceration-related loss of, 158–159
- Soft-tissue coverage, of hand injuries, 271
- Soft-tissue infections, **183–189**
- antibiotic therapy for, 186–188
 - evaluation of patients with, 184–186
 - general treatment of, 186
 - incision and drainage of, 188–189
- Soft-tissue tumors, as chronic open wound cause, 175
- Soleus flap, 216–218
- Spinal cord injury
- examination of, 54
 - as hypotension cause, 52, 53
- Splinting
- of acute suppurative flexor tenosynovitis, 351, 352
 - of burned hands, 324, 327
 - as carpal tunnel syndrome treatment, 337, 362
 - of crush injuries, 333
 - of distal interphalangeal joint fractures, 286
 - of distal phalangeal fractures, 295

Splinting (*cont.*)

- of extensor tendon injuries, 308
- of finger injuries, 268
- of flexor tendon injuries, 307–308
- of hand injuries, 275–280
- of infected hands, 344, 345
- of mallet finger, 310–311, 312
- of metacarpal fractures, 299
- of phalangeal fractures, with rotational deformity, 297
- post-fasciotomy, 337
- of tibial and fibular fractures, 210
- of tight scars, 141
- of tuft fractures, 295

Splints, Stack (volar), 310, 311

- Squamous cell carcinoma, 221, 223, 224
 - as chronic wound cause, 175
 - re-excision of, 232
 - tongue reconstruction in, 134

Stab wounds, 58, 64, 268

Staphylococcal infections, of the hand, 343, 344, 349

Staples, skin, 16–17, 18

Sterile technique, 80–81

Steristrips, 139

Steroid injections

- as carpal tunnel syndrome treatment, 362
- as keloid treatment, 142
- as trigger finger treatment, 357–358

Steroids, deleterious effect on wound healing, 177

Stick ties, 26, 318

Streptococcus viridans infections, human bite wound-related, 343

Stress, effect on dietary protein requirements, 76

Sulfamylon, as burn treatment, 198

Sun exposure, as skin cancer risk factor, 222, 223, 225, 234

Sunscreen

- application to scars, 140, 141
- use by skin cancer patients, 234

Supraorbital nerve block, 38, 39–40, 41, 147

Supratrochlear nerve block, 38, 40, 41, 147

Surgical techniques, basic, 21–27

- blunt dissection, 26–27
- hemorrhage management, 23–25
- incisions, 21–23
- sharp dissection, 27
- undermining skin edges, 27

Suture line, redness and irritation of, 95–96

Sutures

- absorbable *versus* nonabsorbable, for primary wound closure, 93
- buried intradermal, 11–12, 139

Sutures (*cont.*)

- continuous, 9, 10, 15, 16
 - vs.* interrupted, for facial wounds, 148–149
- for facial wounds, 148–149, 158
- figure-of-eight, 12–13
- mattress, 10–11, 14–16, 93
- removal of, 3, 15–16, 95, 149
 - in children, 3
 - from facial lacerations, 149
 - in primary wound closure, 95
- for scalp lacerations, 156
- simple, 93
- size of, in primary wound closure, 93

Suturing, 1–20

- alternatives to, 16–19
- of blood vessels, 24–26
- contraindications to, 86–87
- of extensor tendon injuries, 308
- of eyebrow lacerations, 154–155
- of eyelid lacerations, 153, 154
- of facial lacerations, 147–149
- of fingertip wounds, 285
- instruments for, 5–7
- of intraoral lacerations, 151–152
- of lip lacerations, 150, 151–152
- of nail bed tissue, 290
- needles for, 1–2, 6
 - holder for, 5, 6
- needlestick injury prevention during, 47
- of nerve injuries, 314, 315–317
- for primary wound closure, 93–95
- effect on scarring, 139
- suture materials for, 3–4
- techniques of, 5–15
 - suture placement, 7–13
 - suture removal, 3, 15–16, 95, 149

Swelling

- compartment syndrome-related, 334
- excessive, as contraindication to primary wound closure, 87
- facial laceration-related, 149
- hand infection-related, 342, 344
- infection-related, 89

Tamponade, cardiac, 53

Tangential excision, of burns, 199, 200–201, 325–326

Tar, adherence to burn wounds, 197, 321

Tearduct injury, 154

Tendon injuries, 63

- crush injuries, 330
- of the hand, 307–312
 - examination of, 270
 - extensor tendon injuries, 308–312
 - flexor tendon injuries, 307–308
 - mallet finger, 310–312

- Tendon injuries (*cont.*)
 traumatic amputation-related, 303
- Tendons, with overlying wounds, 88
- Tenosynovitis
 flexor, 344
 acute suppurative, 347, 350–353
 rheumatoid arthritis-associated, 353
 stenosing. *See* Trigger finger
- Tensor fascia lata flaps, 169–170
- Tetanus, risk factors for, 58, 59
- Tetanus immunization, 59
- Thenar eminence, 257
 use as flap, 287–289
- Thenar flaps, for fingertip injuries, 287–289
- Thenar muscles, fasciotomy of, 335
- Thermal injury, 192
- Thigh, as skin graft donor site, 100
- Thoracostomy, needle, 54–56
- Thumb. *See also* Interphalangeal joints (IP)
 splinting of, 278, 279
- Thumb spica splint, 278–279
- Tibia and fibula, fractures of, **205–219**
 case example of, 205–206
 closed fractures, 206
 comminuted, 207
 compartment syndrome associated with, 207–211
 distant flap coverage for, 218
 free flap coverage for, 218
 local muscle flap coverage for, 212–218
 open (compound) fractures, 206, 210, 211–218
- Tinel's sign, 361
- Tingling, in the hand
 carpal tunnel syndrome-related, 361
 compartment syndrome-related, 334
- Tobacco use. *See also* Smoking
- Tongue
 as airway obstruction cause, 50
 in Pierre Robin syndrome, 243
 free flap reconstruction of, 133–134
 lacerations of, 152
- Tooth alignment, in facial fracture patients, 252
- Topical agents
 for burns, 198
 local anesthetic, 29–30
- Tourniquets
 use with Bier blocks, 42–43
 in carpal tunnel release, 363, 364, 365
 digital, 284, 368
 in exsanguinating hemorrhage control, 64, 317
 in fingernail removal, 290
 in hand injuries, 267
 as ischemia cause, 267, 317
- Tourniquets (*cont.*)
 pain associated with use of, 317
 in suppurative flexor tenosynovitis drainage, 351
 in tangential excision of burns, 327
 in trigger finger release, 358
- TRAM (transverse rectus abdominis muscle) flap, 246–248
- Transferrin, serum levels of
 as nutritional status indicator, 74, 176
 in pressure sore patients, 167
- Transverse rectus abdominis muscle (TRAM) flap, 246–248
- Trauma patients
 evaluation of, **49–56**
 ABCs of, 49–53
 case study of, 54
 needle thoracostomy in, 54–56
 neurologic examination in, 53–54
- Trigeminal nerve branches, anatomy of, 38, 39, 40, 41
- Trigger finger, 355–360
- Triple antibiotic ointment, 82
- Trochanter, pressure sores of, 163, 169–170
- Tuft fractures, 294–295
- Tying off, of blood vessels, 24–25
- Ulcers
 decubitus, 161
 of the leg, 177–180
- Ulnar artery
 injury to, 318–319
 ulnar nerve injury associated with, 260
 location of, 264, 265
- Ulnar artery pulse, 264
- Ulnar gutter splint, 279–280
- Ulnar nerve
 function testing of, 263, 270
 injuries to, 308
 sensory distribution of, 259, 260
- Ulnar nerve block, 37
- Unconscious patients, hand injury
 evaluation in, 271–273
- Undermining, of skin edges, 27
- Valium. *See* Diazepam
- Varicose veins, 178
- Vascular examination, of injured hand, 269–270
- Vascular injuries, hand, 317–319
 crush injury-related, 331
- Vasoconstriction
 epinephrine-related, 31, 32, 151, 152, 153
 nicotine-related, 175
- Vegetables, as protein source, 75

- Venous insufficiency
 - capillary refill in, 265–266
 - as leg ulcer cause, 177, 178, 179, 180
- Vermilion border, in lip lacerations, 149, 150, 151
- Vesicles, herpetic infection-associated, 350
- Vibrio* infections, 187, 343
- Visiting surgeon programs, 241–242
- Vitamin A, 76–77
- Vitamin A supplementation, for wound healing, 176, 177
- Vitamin C, 77
- Vitamin C supplementation
 - for pressure sore prevention, 164
 - for wound healing, 176
- Vitamin E, 77
- Vitamin E supplementation, for wound healing, 176, 177
- V-Y advancement flaps, 114, 118–119, 170–171

- Water, sterile, as wound cleanser, 81
- Watson knife. *See* Knife, skin-graft (Humby)
- Wound care, 79–84
 - dressing techniques for, 82–84
 - inadequate, as chronic wound cause, 173
 - supplies for, 80–82
- Wound closure
 - guidelines for, 88–89
 - primary, 91–96
 - aftercare in, 95
 - anesthetization for, 92
 - contraindications to, 91
 - delayed, 96
 - of facial wounds, 145
 - scarring associated with, 139
 - of skin lesion biopsy sites, 228, 229–230, 232
 - suturing procedure in, 93–95
 - “reconstructive ladder” of, 64–65, 85
 - secondary, 85–89
 - contraindications to, 88
 - indications for, 86–87
 - scarring associated with, 139
 - of skin lesion biopsy sites, 228–229, 230, 232
 - skin edge undermining in, 27, 115–116
 - of traumatic amputations, 304
- Wound healing
 - impairment of
 - malnutrition-related, 58, 73
 - medical illness-related, 58
- Wound healing (*cont.*)
 - impairment of (*cont.*)
 - smoking-related, 58, 106, 109, 175, 282, 304, 332
 - nutritional requirements during, 76–78, 176, 180
 - after primary wound closure, 91
 - after secondary wound closure, 85
 - effect of suture techniques on, 4
- Wounds
 - acute, 57–65
 - closure of, 58, 64–65
 - contaminated, 58, 59, 64
 - events surrounding, 58–60
 - examination of, 60–62
 - formal (surgical) exploration of, 58, 62, 63, 64
 - hemorrhage control in, 57, 58, 63–64
 - injury to underlying structures in, 62–63
 - patient history in, 57–58
 - chronic, 173–181
 - causes and treatment of, 173–177, 180
 - infected, 80
 - problematic wounds, 177–180
 - squamous cell carcinoma
 - development in, 224
 - clean, definition of, 79
 - dirty/contaminated
 - definition of, 79
 - of the hand, 268
 - secondary closure of, 87
 - wet-to-dry dressings for, 82–83
 - infected
 - after primary closure, 95–96
 - definition of, 79–80
 - wet-to-dry dressings for, 82–83
 - large, split-thickness skin grafts for, 100–106
- Wrist nerve blocks
 - of median nerve, 35–37
 - of radial nerve, 38
 - of ulnar nerve, 37
- X-rays
 - of facial fractures, 253
 - of foreign bodies, 61, 64
 - of gunshot wounds, 68
 - of hand infections, 342
 - of soft-tissue infections, 185, 186
 - of traumatic amputations, 305
- Zinc, dietary intake of, 77
- Zinc supplementation
 - for wound healing, 176